

## APPENDIX 1

## LIST OF GOODS

## 1.2 Thailand 's List

Subheading	Description	Base Rate*			Basket
		Unit	ad-valorem percent	Specific Baht/Unit	
4001.10.11	--- Centrifuge concentrate	-	0	-	A
4001.10.19	--- Other	-	0	-	A
4001.10.21	--- Centrifuge concentrate	-	0	-	A
4001.10.29	--- Other	-	0	-	A
4001.21.10	--- RSS Grade 1	-	0	-	A
4001.21.20	--- RSS Grade 2	-	0	-	A
4001.21.30	--- RSS Grade 3	-	0	-	A
4001.21.40	--- RSS Grade 4	-	0	-	A
4001.21.50	--- RSS Grade 5	-	0	-	A
4001.21.90	--- Other	-	0	-	A
4001.22.10	--- TSNR 10	-	0	-	A
4001.22.20	--- TSNR 20	-	0	-	A
4001.22.30	--- TSNR L	-	0	-	A
4001.22.40	--- TSNR CV	-	0	-	A
4001.22.50	--- TSNR GP	-	0	-	A
4001.22.90	--- Other	-	0	-	A
4001.29.10	--- Air-dried sheets	-	5	-	A
4001.29.20	--- Latex crepes	-	5	-	A
4001.29.30	--- Sole crepes	-	5	-	A
4001.29.40	--- Remilled crepes, including flat bark crepes	-	5	-	A
4001.29.50	--- Other crepes	-	5	-	A
4001.29.60	--- Superior processing rubber	-	5	-	A
4001.29.70	--- Skim rubber	-	0	-	A
4001.29.80	--- Scrap (tree, earth or smoked) and cup lump	-	0	-	A
4001.29.90	--- Other	-	0, 5	-	A
4001.30.11	--- In primary forms	-	0	-	A
4001.30.19	--- Other	-	5	-	A
4001.30.91	--- In primary forms	-	0	-	A
4001.30.99	--- Other	-	5	-	A
4002.11.00	-- Latex	-	20	-	B
4002.19.00	-- Other	-	20	-	B
4002.20.00	- Butadiene rubber (BR)	-	20	-	B
4002.31.00	-- Isobutene-isoprene (butyl) rubber (IIR)	-	1	-	A
4002.39.00	-- Other	-	1	-	A
4002.41.00	-- Latex	-	1	-	A
4002.49.00	-- Other	-	1	-	A
4002.51.00	-- Latex	-	1	-	A
4002.59.00	-- Other	-	1	-	A
4002.60.10	-- In primary forms	-	1	-	A
4002.60.90	-- Other	-	1	-	A
4002.70.00	- Ethylene-propylene-non-conjugated diene rubber (EPDM)	-	1	-	A
4002.80.10	-- Mixture of natural rubber latex with synthetic rubber latex	-	0	-	A
4002.80.90	-- Other	-	1	-	A
4002.91.10	--- Of poly (methyl-methacrylate) graft natural rubber	-	1	-	A
4002.91.90	--- Other	-	1	-	A
4002.99.10	--- Of poly (methyl-methacrylate) graft natural rubber	-	1	-	A
4002.99.90	--- Other	-	1	-	A
4003.00.00	Reclaimed rubber in primary forms or in plates, sheets or strip.	-	12.5	-	B
4005.10.00	- Compounded with carbon black or silica	-	12.5	-	B
4006.10.00	- "Camel-back" strips for retreading rubber tyres	-	17.5	-	A
4007.00.00	Vulcanised rubber thread and cord.	-	17.5	-	A
4008.11.00	-- Plates, sheets, and strip	KG	17.5, 30	3.00	A
4008.19.00	-- Other	KG	17.5, 30	3.00	A
4008.21.00	-- Plates, sheets, and strip	KG	17.5, 30	3.00	A
4008.29.00	-- Other	KG	17.5, 30	3.00	A
4009.11.00	-- Without fittings	-	17.5	-	A
4009.12.00	-- With fittings	-	20	-	A

Subheading	Description	Base Rate*			Basket
		Unit	ad-valorem percent	Specific Baht/Unit	
4009.21.10	--- Mining slurry suction and discharge hoses	-	17.5	-	A
4009.21.90	--- Other	-	17.5	-	A
4009.22.10	--- Mining slurry suction and discharge hoses	-	20	-	A
4009.22.90	--- Other	-	20	-	A
4009.31.10	--- Mining slurry suction and discharge hoses	-	17.5	-	A
4009.31.90	--- Other	-	17.5	-	A
4009.32.10	--- Mining slurry suction and discharge hoses	-	20	-	A
4009.32.90	--- Other	-	20	-	A
4009.41.10	--- Mining slurry suction and discharge hoses	-	17.5	-	A
4009.41.90	--- Other	-	17.5	-	A
4009.42.10	--- Mining slurry suction and discharge hoses	-	20	-	A
4009.42.90	--- Other	-	20	-	A
4010.11.10	--- Of a width exceeding 20 cm	-	20	-	A
4010.11.90	--- Other	-	20	-	A
4010.12.10	--- Of a width exceeding 20 cm	-	20	-	A
4010.12.90	--- Other	-	20	-	A
4010.19.10	--- Of a width exceeding 20 cm	-	20	-	A
4010.19.90	--- Other	-	20	-	A
4010.31.00	-- Endless transmission belts of trapezoidal cross-section (V-belts), V-ribbed, of an outside circumference exceeding 60 cm but not exceeding 180 cm	-	20	-	A
4010.32.00	-- Endless transmission belts of trapezoidal cross-section (V-belts), other than V-ribbed, of an outside circumference exceeding 60 cm but not exceeding 180 cm	-	20	-	A
4010.33.00	-- Endless transmission belts of trapezoidal cross-section (V-belts), V-ribbed, of an outside circumference exceeding 180 cm but not exceeding 240 cm	-	20	-	A
4010.34.00	-- Endless transmission belts of trapezoidal cross-section (V-belts), other than V-ribbed, of an outside circumference exceeding 180 cm but not exceeding 240 cm	-	20	-	A
4010.35.00	-- Endless synchronous belts, of an outside circumference exceeding 60 cm but not exceeding 150 cm	-	20	-	A
4010.36.00	-- Endless synchronous belts, of an outside circumference exceeding 150 cm but not exceeding 198 cm	-	20	-	A
4010.39.00	-- Other	-	20	-	A
4011.10.00	- Of a kind used on motor cars (including station wagons and racing cars)	KG	20	14.50, 23.00	A
4011.20.10	-- Of a width not exceeding 450 mm	KG	20	14.50, 23.00	A
4011.20.90	-- Other	KG	20	14.50, 23.00	A
4011.30.00	- Of a kind used on aircraft	KG	15	10.75	A
4011.40.00	- Of a kind used on motorcycles	KG	20	14.50	A
4011.50.00	- Of a kind used on bicycles	Unit	20	2.50 baht per kg but not less than 2.50 baht per unit	A
4011.61.00	-- Of a kind used on agricultural or forestry vehicles and machines	KG	20	14.50	A
4011.62.00	-- Of a kind used on construction or industrial handling vehicles and machines and having a rim size not exceeding 61 cm	KG	20	14.50	A
4011.63.00	-- Of a kind used on construction or industrial handling vehicles and machines and having a rim size exceeding 61 cm	KG	20	14.50	A
4011.69.00	-- Other	KG	20	14.50	A
4011.92.00	-- Of a kind used on agricultural or forestry vehicles and machines	KG	15	3.00	A
4011.93.00	-- Of a kind used on construction or industrial handling vehicles and machines and having a rim size not exceeding 61 cm	KG	15	3.00	A
4011.94.10	--- Of a kind used on earth moving machinery	KG	15	3.00	A
4011.94.90	--- Other	KG	15	3.00	A
4011.99.10	--- Of a kind used on vehicles of Chapter 87	KG	20	14.50	A
4011.99.20	--- Of a kind used on earth moving machinery	KG	20	14.50	A

Subheading	Description	Base Rate*			Basket
		Unit	ad-valorem percent	Specific Baht/Unit	
4011.99.30	--- Other, of a width exceeding 450 mm	KG	20	14.50	A
4011.99.90	--- Other	KG	20	14.50	A
4012.11.00	-- Of a kind used on motor cars (including station wagons and racing cars)	KG	20	14.50	A
4012.12.10	--- Of a width not exceeding 450 mm	KG	20	14.50	A
4012.12.90	--- Other	KG	20	14.50	A
4012.13.00	-- Of a kind used on aircraft	KG	20	14.50	A
4012.19.10	--- Of a kind used on motorcycles	KG	20	14.50	A
4012.19.20	--- Of a kind used on bicycles	Unit	20	2.50 baht per kg but not less than 2.50 baht per unit	A
4012.19.30	--- Of a kind used on earth moving machinery	KG	20	3.00	A
4012.19.40	--- Of a kind used on other vehicles of Chapter 87	KG	20	3.00, 14.50	A
4012.19.90	--- Other	KG	20	3.00, 14.50	A
4012.20.10	-- Of a kind used on motor cars (including station wagons, racing cars)	KG	20	14.50	A
4012.20.21	--- Of a width not exceeding 450 mm	KG	20	14.50	A
4012.20.29	--- Other	KG	20	14.50	A
4012.20.30	-- Of a kind used on aircraft	KG	20	14.50	A
4012.20.40	-- Of a kind used on motorcycles	KG	20	14.50	A
4012.20.50	-- Of a kind used on bicycles	Unit	20	2.50 baht per kg but not less than 2.50 baht per unit	A
4012.20.60	-- Of a kind used on earth moving machinery	KG	15	3.00	A
4012.20.70	-- Of a kind used on other vehicles of Chapter 87	KG	15, 20	3.00, 14.50	A
4012.20.91	--- Buffed tyres	KG	20	14.50	A
4012.20.99	--- Other	KG	20	14.50	A
4012.90.11	--- Not exceeding 100 mm in external diameter	KG	15	3.00	A
4012.90.12	--- Exceeding 100 mm but not exceeding 250 mm in external diameter	KG	15	3.00	A
4012.90.13	--- Exceeding 250 mm in external diameter, of a width not exceeding 450 mm, for use on vehicles of heading 87.09	KG	15	3.00	A
4012.90.14	--- Other solid tyres exceeding 250 mm in external diameter, of a width not exceeding 450 mm	KG	15	3.00	A
4012.90.15	--- Solid tyres exceeding 250 mm in external diameter, of a width exceeding 450 mm, for use on vehicles of heading 87.09	KG	15	3.00	A
4012.90.16	--- Other solid tyres exceeding 250 mm in external diameter, of a width exceeding 450 mm	KG	15	3.00	A
4012.90.19	--- Other	KG	15	3.00	A
4012.90.21	--- Of a width not exceeding 450 mm	KG	15	3.00	A
4012.90.22	--- Of a width exceeding 450 mm	KG	15	3.00	A
4012.90.29	--- Other	KG	15	3.00	A
4012.90.70	-- Replaceable tyre treads of a width not exceeding 450 mm	KG	20	7.25	A
4012.90.80	-- Tyre flaps	KG	20	7.25	A
4012.90.90	-- Other	KG	20	7.25	A
4013.10.11	--- Suitable for fitting to tyres of width not exceeding 450 mm	KG	20	14.50	A
4013.10.19	--- Suitable for fitting to tyres of width exceeding 450 mm	KG	20	14.50	A
4013.10.21	--- Suitable for fitting to tyres of width not exceeding 450 mm	KG	20	14.50	A
4013.10.29	--- Suitable for fitting to tyres of width exceeding 450 mm	KG	20	14.50	A
4013.20.00	- Of a kind used on bicycles	KG	20	7.25	A
4013.90.11	--- Suitable for fitting to tyres of a width not exceeding 450 mm	KG	20	7.25	A
4013.90.19	--- Suitable for fitting to tyres of a width exceeding 450 mm	KG	20	7.25	A
4013.90.20	-- Of a kind used on motorcycles	KG	20	7.25	A
4013.90.31	--- Suitable for fitting to tyres of a width not exceeding 450 mm	KG	20	7.25	A
4013.90.39	--- Suitable for fitting to tyres of a width exceeding 450 mm	KG	20	7.25	A
4013.90.40	-- Of a kind used on aircraft	KG	20	7.25	A

Subheading	Description	Base Rate*			Basket
		Unit	ad-valorem percent	Specific Baht/Unit	
4013.90.91	--- Suitable for fitting to tyres of a width not exceeding 450 mm	KG	20	7.25	A
4013.90.99	--- Suitable for fitting to tyres of a width exceeding 450 mm	KG	20	7.25	A
4014.10.00	- Sheath contraceptives	-	20	-	A
4014.90.10	-- Teats for feeding bottles and similar kinds	-	20	-	A
4014.90.40	-- Stoppers for pharmaceutical use	-	20	-	A
4014.90.90	-- Other	-	20	-	A
4015.11.00	-- Surgical	-	20	-	A
4015.19.00	-- Other	-	20	-	A
4015.90.00	- Other	-	20	-	A
4016.10.00	- Of cellular rubber				
	- For floor tiles, wall tiles	KG	30	3.00	A
	- Other	-	20	-	A
4016.91.10	--- Mats	-	20	-	A
4016.91.90	--- Other				
	--- For floor tiles	KG	30	3.00	A
	--- Other	-	20	-	A
4016.92.10	--- Eraser tips	-	20	-	A
4016.92.90	--- Other	-	20	-	A
4016.93.10	--- Packings of a kind used for electrolytic capacitors	-	0	-	A
4016.93.90	--- Other	-	0	-	A
4016.94.00	-- Boat or dock fenders, whether or not inflatable	-	20	-	A
4016.95.00	-- Other inflatable articles	-	20	-	A
4016.99.11	---- For vehicles of heading 87.02, 87.03, 87.04, 87.05 or 87.11	-	20	-	A
4016.99.12	---- For vehicles of heading 87.09, 87.13, 87.15 or 87.16	-	20	-	A
4016.99.17	---- For bicycles of heading 87.12	-	20	-	A
4016.99.19	---- Other	-	20	-	A
4016.99.20	--- Parts and accessories of rotachutes of heading 88.04	-	20	-	A
4016.99.30	--- Rubber bands	-	20	-	A
4016.99.51	---- Rubber rollers	-	20	-	A
4016.99.59	---- Other	-	20	-	A
4016.99.60	--- Rail pads	-	20	-	A
4016.99.70	--- Structural bearings including bridge bearings	-	20	-	A
4016.99.80	--- Rubber grommets and rubber covers for automotive wiring harness	-	20	-	A
4016.99.90	--- Other				
	--- For wall tiles	KG	30	3.00	A
	--- Other	-	20	-	A
4017.00.00	Hard rubber (for example, ebonite) in all forms, including waste and scrap; articles of hard rubber.				
	For floor tiles, wall tiles	KG	30	3.00	A
	Other	-	20	-	A
4401.10.00	- Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms	-	1	-	A
4401.21.00	-- Coniferous	-	1	-	A
4401.22.00	-- Non-coniferous	-	1	-	A
4401.30.00	- Sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms	-	1	-	A
4402.10.00	- Of bamboo	-	0	-	A
4402.90.00	- Other	-	0	-	A
4403.10.10	-- Baulks, sawlogs and veneer logs	-	1	-	A
4403.10.90	-- Other	-	1	-	A
4403.20.10	-- Baulks, sawlogs and veneer logs	-	1	-	A
4403.20.90	-- Other	-	1	-	A
4403.41.10	--- Baulks, sawlogs and veneer logs	-	1	-	A
4403.41.90	--- Other	-	1	-	A
4403.49.10	--- Baulks, sawlogs and veneer logs	-	1	-	A
4403.49.90	--- Other	-	1	-	A
4403.91.10	--- Baulks, sawlogs and veneer logs	-	1	-	A
4403.91.90	--- Other	-	1	-	A
4403.92.10	--- Baulks, sawlogs and veneer logs	-	1	-	A
4403.92.90	--- Other	-	1	-	A
4403.99.10	--- Baulks, sawlogs and veneer logs	-	1	-	A

Subheading	Description	Base Rate*			Basket
		Unit	ad-valorem percent	Specific Baht/Unit	
4403.99.90	- - - Other	-	1	-	A
4404.10.00	- Coniferous	-	1	-	A
4404.20.00	- Non-coniferous	-	1	-	A
4405.00.00	Wood wool; wood flour.	-	1	-	A
4406.10.00	- Not impregnated	-	1	-	A
4406.90.00	- Other	-	1	-	A
4407.10.00	- Coniferous	-	1	-	A
4407.21.00	- - Mahogany ( <i>Swietenia spp.</i> )				
	- - For planed, sanded or end-jointed	-	5	-	B
	- - Other	-	1	-	A
4407.22.00	- - Virola, Imbuia and Balsa				
	- - For planed, sanded or end-jointed	-	5	-	B
	- - Other	-	1	-	A
4407.25.10	- - - Dark Red Meranti or Light Red Meranti				
	- - - Other, except planed, sanded or end-jointed	-	1	-	A
4407.25.20	- - - Meranti Bakau				
	- - - Other, except planed, sanded or end-jointed	-	1	-	A
4407.26.00	- - White Lauan, White Meranti, White Seraya, Yellow Meranti and Alan				
	- - Other, except planed, sanded or end-jointed	-	1	-	A
4407.91.00	- - Of oak ( <i>Quercus spp.</i> )				
	- - Other, except planed, sanded or end-jointed	-	1	-	A
4407.92.00	- - Of beech ( <i>Fagus spp.</i> )				
	- - Other, except planed, sanded or end-jointed	-	1	-	A
4407.93.00	- - Of maple ( <i>Acer spp.</i> )				
	- - Other, except planed, sanded or end-jointed	-	1	-	A
4407.94.00	- - Of cherry ( <i>Prunus spp.</i> )				
	- - Other, except planed, sanded or end-jointed	-	1	-	A
4407.95.00	- - Of ash ( <i>Fraxinus spp.</i> )				
	- - Other, except planed, sanded or end-jointed	-	1	-	A
4407.99.00	- - Other				
	- - Other, except planed, sanded or end-jointed	-	1	-	A

\*For tariff lines that have both ad-valorem and specific rates, only ad-valorem rates will be used to determine tariff rates for reduction/elimination.